



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA31110007-018

Harvest/Lot ID: EJM4423

Batch#: EJM4423

Sample Size Received: 60 ml

Total Amount: 1 units

Retail Product Size: 60 ml

Sample Density: 1.07 g/mL

Ordered: 11/09/23

Sampled: 11/10/23


Completed: 11/14/23

Sampling Method: SOP.T.20.010.FL

PASSED

Nov 14, 2023 | HIGH ROLLER PRIVATE
LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US



Pages 1 of 1


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
NOT TESTED



Heavy Metals
NOT TESTED



Microbials
NOT TESTED



Mycotoxins
NOT TESTED



Residuals Solvents
NOT TESTED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC

ND

Total THC/Container : 0.00 mg



Total CBD

1.499%

Total CBD/Container : 962.36 mg



Total Cannabinoids

1.508%

Total Cannabinoids/Container : 968.14 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	ND	ND	1.499	ND	ND	ND	ND	ND	ND	0.009	ND
mg/unit	ND	ND	899.40	ND	ND	ND	ND	ND	ND	5.40	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
2.8687g

Extraction date:
11/13/23 09:42:44

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA066338POT

Instrument Used : DA-LC-007

Analysis Date : 11/13/23 09:43:03

Reviewed On : 11/14/23 09:36:45

Batch Date : 11/11/23 23:52:17

Dilution : 40

Reagent : 102423.R05; 070621.18; 110723.R05

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
11/14/23